wings to your imaginations

Pratap Group - A Group Company of R.P. Jindal



PRATAPBOND® aluminium panel sheet




PRATAPBOND® aluminium panel sheet



PB 16 (ORANGE)

PB 15 (BRUSH SILVER)



PRATAPBOND®

aluminium panel sheet



PB 31 (SHINY WHITE)

PB 36 (SEA GREEN)

PB 104 (MAHOGONY)





PRATAPBOND® aluminium panel sheet



PB 107 (RUSTIC WOOD)



PB 110 (PRIMEVAL OAK)



PB 111 (ALMOND WOOD BROWN)



PB 115 (EBONY NESTWOOD)




PB 116 (RED WALNUT)



PB 151 (SILVER MIRROR)



PB 152 (GOLDEN MIRROR)



PB 201 (RUSTIC WOOD)



PB 202 (FUSION WALNUT)



PB 203 (DARK TEAK)



PB 205 (WENGE)



PB 206 INDIAN KATNI



PRATAPBOND® aluminium panel sheet



PB 207 (AFRICAN WALNUT)



PB 208 (NATURAL WOOD)



PB 210 (SILVER OAK)



PB 211 (KHAYA MAHOGONY)



PB 216 (<u>O</u>AK PINE)



PB 217 (EMPERADOR MARBLE)



PB 14 (SHINY BLACK)




PB 35 (SHINY RED)



PB 42 (GARDEN GREEN)



PB 12 (WINE METALLIC)





ABOUT US

Pratap Group is a 50 year old organization started by late late Shri R.P Jindal. We are the leading manufacturers of Aluminum Composite Panel (ACP), in Eastern India, under the brand name 'Pratap Bond',

An ISO 9001:2008 certified company.

Pratap Bond provides an array of ACP with respect to thickness, shades and sizes for both interior & exterior purposes with a capacity of 1 million sq.ft per month to meet the growing demands for quality products. Our product complies with the 'Green Building' norms.

Pratap Bond Aluminum Composite Panel (ACP) is a flat panel that consists of two thin aluminium coils bonded to a polyethylene core. We are using high quality PVDF coating for exterior range and PE coating for interior range.

Standard Dimensions

Thickness - 2mm to 6mm

Size - 1220mm X 2440mm

1220mm x 3050mm

1220mm X 3660mm

(Special Thickness and Sizes available on Request)

Product Tolerance

Width: +-2mm

Length: +3mm (Minus error not allowed)

Thickness: +-0.2mm for 3mm & 4mm

Bow: maximum 0.5% of the Length and/or Width

Squareness: Max +2mm

Surface Defect

Surface shall not have any irregularities such as Roughness, Bucking and other imperfections.

Important Note

- Sample in the colour chart may differ from actual colour & Aluminium thickness.
- Please ask for Sample.
- All colours and specifications are subject to change without notice.
- To avoid possible reflection differences, it is recommended to install the panel in the same direction as marked on the protective peel-off film.

