

INSPIRE YOUR IDENTITY.





From the House of Aludecor





Trusted for 20+ years



Highest producer of **ACPs** on Indian soil*



Highest sales quantum of **ACPs** on Indian soil*



Lowest customer complaints at 0.046% *



Sustainability **First**



Serving 150+ Corporates



Benchmarking R&D in ACP

Constant your identity. With SignEx.

SignEx is the only signage brand in India which can guarantee that all your signages will match the exact colour of your brand and there will be zero deviation in the colour.

Durable your identity. With SignEx.

At Aludecor, quality comes first and with our quality conscious practices, SignEx ensures the durability and longevity of your brand identity. Each SignEx product is compliant with Global Standard Quality parameters, passing through more than 100 stringent test metrics before going to market.





Best your identity. With SignEx.

Be it Bendable Polyethylene (PE) core or our indigenously produced Fire Retardant (FR) core, each SignEx Product is made with the finest raw materials that is being sourced from top of the line suppliers like Hindalco, PPG, Akzonobel, Beckers etc.

This ensures that your brand gets the best of the best signage material everytime.

Made-in-India your **identity.** With **SignEx.**

SignEx is a truly 'Made-in-India' product that is being manufactured at three manufacturing units spread over 37500 sq. mt. at Haridwar, Uttarakhand. SignEx comes from India's best-ever ACP production facilities that include 5 ACP Lamination Lines having an annual capacity of 56 Lacs Sq. Mt. Coil Coating Line with a capacity of 22,000 MT per annum.









Preferred choice of over 150 corporates

Retail _





































Automotive















































Lubes_













Tyres_













DECI

















Building Material











Oil & Gas.















Telecom





















SignEx specifications

Particulars	Product Composition						
Product Grade	AL 45	AL 43	AL 3	3D	AL 33	AL	. 3C
Panel Thickness	4 mm	4 mm	3 m	3 mm 3 mm		3 mm	
C.Coil Thickness	0.50 mm	0.25 mm	0.30	mm	0.25 mm	0.25 mm 0.20 mm	
Alloy Grade	AA5005/AA3105/AA1100	AA1100	AA3	105	AA1100	AA1100	
Core	Polyethylene (LDPE) Mineral core (FR)						
DFT- Top Coil	24μ - 35μ	24μ - 35μ	24μ - 35μ		24μ - 35μ	24 μ-28 μ	
**Applications	1-Façade 2-Fuel Station 3-Corp. Identity	1-Façade 2-Corp. Identity	1-Façade 2-Fuel Station 3-Corp. Identity		1-Façade 2-Corp. Identity	1-Corp. Identity	
			Thickness			Bow	
						(Length & or Width)	
Product Tolerance	Width	Length	Coil	Panel	Squareness	AL45	AL 43, 33D, 33, 3C
	± 2.0 mm	± 4.0 mm	± 0.03 mm	± 0.2 mm	Maximum 5.0 mm	Max-0.5%	Max-0.8%



Use of Lead-free paints



Helps buildings qualify for LEED



PVDF Coating



Recyclable



Saves energy



Fire-reta





Head Office Kolkata

Martin Burn Building Suite 52 5th Floor 1 RN Mukherjee Road Kolkata 700001 West Bengal P +91 33 4027 6600

Works

Haridwar

(Unit 1) Plot 95 | 96 | 97 Sector V IIE Sidcul Ranipur BHEL Haridwar Uttarakhand 249403 P +91 1334 239 343

(Unit 2) Plot 31A Sector 11 IIE Sidcul Ranipur BHEL Haridwar Uttarakhand 249403

(Unit 3) Industrial Plot No 23 Industrial Park IV Begampur Pargana Roorkee Haridwar Uttarakhand 249405

Toll Free 1800 102 0407 info@aludecor.com | aludecor.com CIN: U27203WB2004PTC099221

Zonal Offices - Chennai • Mumbai • New Delhi

Branch Offices - Ahmedabad ● Bangalore ● Guwahati ● Hyderabad

Indore • Jaipur • Kochi • Lucknow • Pune





Best Practices Award from the European Society for Quality Research (ESQR), for Quality, R&D, Meticulous Test Metrics, First-rated Industry Practices and Best-in-class Products, received at Brussels, Belgium.

АluдесоR



Customised digital support

Get 3D previews of the interiors and exteriors you wish to fabricate and more

Visit aludecor.com
Go to the Support Section
Click on the Design Assist Section
Follow step-by-step instructions
for fabrication ideas . . . absolutely free!



Aludecor Systems are versatile and can be assembled quickly. It is a concealed fixing system of the following type.







Aludecor MCPs can come in both Aludecor Firewall A2 and Aludecor Firewall. These are Factory Production Control Certified from Emirates Safety Laboratory (ESL) for Reaction to Fire classifications of EN 13501-1 Class A2-s1, d0 for Aludecor Firewall A2 and EN 13501-1 Class B-s1, d0 for Aludecor Firewall. Aludecor Firewall is also having a product range which is Factory Production Control Certified from ESL for Class B1 in accordance to DIM 4102



Scan for Zonal & Branch address

W aludecor.com/branch-locator



Scan this to enquire

W aludecor.com/enquiry

A percentage of the proceeds from our sales is forwarded towards welfare purposes.











